


### 2.11.1 Hoare Select

Section authors: Kevin Coletta, David Parenti, Michael Pshenishny, Brian Rice



**Refinement of:** Comparison Based (§2.2), Permuting (§2.5), Sequence Algorithm (§2.1).

**Prototype:** `template<class RandomAccessIterator>`  
`void nth_element(RandomAccessIterator first,`  
`RandomAccessIterator nth,`  
`RandomAccessIterator last)`

**Input:** Iterators `first` and `last` delimiting a range of elements, and iterator `nth` specifying the end of the section to be sorted.

**Output:** The same range of elements modified so that the iterator `nth` points to the element that would be in that position if the entire range had been sorted.

**Effects:** Elements in the range from `first` to `nth` are in nondecreasing order.

**Asymptotic complexity:** Let  $N = \text{last} - \text{first}$ .

- Average case (random data):  $O(N)$
- Worst case:  $O(N^2)$

## Complexity in terms of operation counts:

- Random nth element used for each trial. All sizes and op counts are in


	Size:	1
	Comparisons:	3.056
	Assignments:	2.713
	Other:	6.989
	Total:	12.758
	Size:	2
	Comparisons:	6.074
	Assignments:	5.305
	Other:	13.905
	Total:	25.284
	Size:	4
	Comparisons:	12.087
	Assignments:	10.475
	Other:	27.727
	Total:	50.289
	Size:	8
	Comparisons:	24.067
	Assignments:	20.756
	Other:	55.235
	Total:	100.058
	Size:	16
	Comparisons:	48.139
	Assignments:	41.36
	Other:	110.513
	Total:	200.012

multiples of 1000. 100000 trials were run for each size.

- Average case:

Comparisons:	$3.1N - 148.4 \log_2 N + 1532.3$
Assignments:	$2.6N - 101.2 \log_2 N + 1162.4$
Other:	$7N - 305 \log_2 N + 3123.1$
Total:	$12.7N - 554.6 \log_2 N + 5817.8$

### 2.11.2 Hoare Select iterator trace plot



The version of Hoare Select implemented in SGI STL is being run on a random sample of 1000 elements.